

**Comparison Of Rust Control Fungicides \***

<b>Trade name</b>	<b>Rate range</b>	<b>Probable use rate</b>	<b>Cost per acre</b>	<b>Post harvest interval</b>
<b>Quadris</b>	<b>6.2-15.4 oz</b>	<b>9.2 oz</b>	<b>\$13-32</b>	<b>14 days</b>
<b>Headline</b>	<b>6-12 oz</b>	<b>-----</b>	<b>\$11-21.5</b>	<b>21 days</b>
<b>Echo</b>	<b>1.3-2.25pt</b>	<b>-----</b>	<b>\$7-12</b>	<b>42 days</b>
<b>Stratego</b>	<b>5.5-10 oz</b>	<b>-----</b>	<b>\$6.5-12</b>	<b>unknown</b>
<b>Laredo EC</b>	<b>4-8 oz</b>	<b>8 oz</b>	<b>\$6-12.5</b>	<b>28 days</b>
<b>Laredo EW</b>	<b>4-9.6oz</b>	<b>8 oz</b>	<b>\$6-12.5</b>	<b>28 days</b>
<b>Bumper</b>	<b>4-8 oz</b>	<b>6 oz</b>	<b>\$10-20</b>	<b>no later than R5</b>
<b>Tilt</b>	<b>4-8 oz</b>	<b>6 oz</b>	<b>\$10-20</b>	<b>no later than R5</b>
<b>PropiMax</b>	<b>4-8 oz</b>	<b>6 oz</b>	<b>\$10-20</b>	<b>no later than R5</b>
<b>Folicur</b>	<b>3-4 oz</b>	<b>4 oz-</b>	<b>\$8-11.5</b>	<b>21 days</b>
<b>Domark 125</b>	<b>4-6 oz</b>	<b>5 oz</b>	<b>-----</b>	<b>-----</b>

Add \$3.90 for ground application and \$5.47 for aerial application per acre.

\*Developed by Dr. G. Sciumbato, D. Poston, and A. Henn, Mississippi State University, and modified by Dr. E. Sikora, Auburn University.