


IPM



Submitting Samples

Alabama Pest Management Handbook for 2012

SUBMITTING SAMPLES FOR DIAGNOSIS, ANALYSIS, AND IDENTIFICATION

The Alabama Cooperative Extension System supports two plant diagnostic laboratories. One is at Auburn University; the other is located in Birmingham at the Birmingham Botanical Gardens.

The Plant Diagnostic Laboratory at Auburn University provides three services: plant problem diagnosis, soil nematode analysis, and insect identification. Plant problems sent to the lab include diseases, nematode injury, insect damage, chemical damage, environmental stress, horticultural and agronomic problems, or wildlife damage.

Plant samples at the Auburn University Plant Diagnostic Lab are initially examined by a plant pathologist. Some samples may then be referred to Extension specialists in entomology, agronomy, horticulture, or wildlife.

In addition to plant problem diagnosis, soil nematode analysis, and insect identification, plants are also received for identification. These plants are referred to agronomists and horticulturists who typically respond to the inquiries.

Weeds for identification should be sent directly to Extension weed scientists. Address them to Extension Weed Scientist, 109 Extension Hall, Auburn University, AL 36849-5633. Give the name of the crop infested.

The Plant Diagnostic Laboratory at the C. Beaty Hanna Horticulture and Environmental Center at the Birmingham Botanical Gardens in Birmingham is available to provide plant disease diagnoses to residents of the greater Birmingham area, including Jefferson, Tuscaloosa, Walker, Blount, St. Clair, Shelby, and Bibb counties.

It is extremely important that samples and specimens be collected and packaged correctly for diagnosis and analysis. For example:

- Soil for nematode analysis must not be dried out or too wet.
- Nematodes that have been subjected to extreme temperatures or moisture will die and are not suitable for diagnosis.
- Dried or decayed samples are not satisfactory for diagnostic purposes.
- Plant, soil, and insect samples must be accompanied by the proper information for adequate diagnosis, analysis, and/or identification.

The information in this section explains the proper collecting and packaging techniques needed for an accurate diagnosis. Read it carefully. Then, mail or bring samples and specimens to:

Plant Diagnostic Lab

**ALFA Agricultural Services & Research Building
961 South Donahue Drive
Auburn University, AL 36849-5624.**

If you reside in Jefferson or adjoining counties, you may bring or mail samples to:

Plant Diagnostic Lab

**C. Beaty Hanna Horticulture & Environmental Center
Birmingham Botanical Gardens
2612 Lane Park Road
Birmingham, AL 35223-1802.**

If possible, mail plant and soil samples during the first part of the week. Samples mailed on Thursday or Friday usually remain in the post office during the weekend. By Monday morning, samples are often decayed or damaged and are not suitable for diagnosis or analysis.

Service charges at the Plant Diagnostic Labs are:

Soil Nematode Analysis: \$10

Plant Problem/Disease Diagnosis: depends on work needed.

Residential: usually \$15

Commercial: usually \$20

Advanced Molecular Testing: \$30 minimum; charge depends upon specific tests done as per discussion with the client.

Insect Identification:

Routine: \$5.

Commercial/Industrial: \$20.

Identification Requiring a Slide Mount for Microscopy: \$10.

The exact charge for plant problem or disease diagnosis depends on the type of diagnostic tests performed. Do not send a check or money with the plant sample; a billing statement will be mailed with the diagnostic report, which is usually sent by regular mail. When requested, the response is made by phone, fax, or e-mail.

PLANTS FOR DISEASE/PROBLEM DIAGNOSIS

James Jacobi, *Extension Plant Pathologist*, Entomology and Plant Pathology

For an accurate diagnosis of a plant problem, the lab must receive the following:

1. Fresh plant material that is representative of the total problem.
2. Enough plant material for two to three specialists to examine and/or for two to three testing procedures.
3. Information that accurately describes the history of the plant and problem development.

Remember that diagnoses are often based on the visible plant symptoms, associated microscopic structures or other test results, and the information included. If the plant sample is not representative of the actual problem and the information is inaccurate or misleading, the conclusions and diagnoses made in the lab may not be appropriate for the actual problem. The diagnosis can be based only on the sample and information sent to the lab.

Collecting Plant Specimens

1. The specimen must be representative of the problem. If possible, collect the plants intact, including roots, because the above-ground plant symptoms could be caused by a root problem. Dig out—don't pull up—plants. Gently shake off soil but do not wash roots. If you can't collect intact plants, include the plant parts that show damage. If possible, collect several plants or plant parts, such as fruits, nuts, twigs, and leaves, representing different stages of the disease or problem. Do not collect dead plants.

2. After collecting the sample, gently shake off or blot any water droplets that may be present. Wet samples will decay rapidly. Place the sample in a plastic bag immediately and close the bag securely. Do not include any wet or damp paper towels with the samples. If samples must be kept for a time before packaging and mailing, keep them cool.

3. If you suspect a soil problem, send 1 or 2 pints of soil from the affected area and 1 or 2 pints of soil from the non-affected healthy area so that pH, total soluble salt level, and the possibility of nematodes can be checked. Package the soil in a sealed plastic bag.

4. If you suspect a soil nutrition problem, you may send a soil sample directly to the Soil Test Lab. Collect 1 pint of soil from the suspect area. Directions, packages, and forms are available at your county Extension office. Package and mail samples to Soil Testing Laboratory, ALFA Agricultural Services and Research Building, 961 South Donahue Drive, Auburn University, AL 36849-5411. The current charge of \$7 for a routine soil analysis is subject to change.

Call 334-844-3958 or check with the lab at <http://www.ag.auburn.edu/dept/ay/soiltest.htm> for more information on soil testing.

5. Check with your county Extension office if you have questions, or check the Plant Diagnostic Laboratories' websites at <http://www.aces.edu/dept/plantdiagnosticlab/> for the

Auburn lab and <http://www.aces.edu/plantlabbbham/> for the Birmingham lab. Or, you may contact the labs by phone at 334-844-5507 or 5508 for the Auburn lab or 205-879-6964 (ext. 19) for the Birmingham lab.

Packaging and Mailing Plant Samples

1. Pack the sample well in a sturdy container to prevent crushing. Padded envelopes or boxes are best.

2. Provide as much information as possible. Use the diagnostic questionnaire, Form ANR-89 or Form ANR-89B. These forms (ANR-89 and ANR-89B) are available from the Auburn and Birmingham Websites, respectively. They may also be obtained from your county Extension office. If more space is needed, use additional sheets of paper. The more information provided with the sample, the more accurate the diagnosis and control recommendations will be.

3. If samples must be held for a time before mailing, keep them cool.

4. When sending in a soil sample with the plant sample, always place the soil in a separate plastic bag. Always seal the soil sample bag.

5. The service charge for plant disease/problem diagnosis depends upon the diagnostic procedures needed. The charge is usually \$15 for residential, usually \$20 for commercial locations, and a minimum of \$30 for advanced molecular testing. Advanced molecular testing is done only after specific discussion with the client. The diagnostic response, recommendations, and an invoice will be mailed directly to you, usually within 7 to 10 days from the time the sample is received. Checks or money orders should be made payable to the Plant Diagnostic Lab.

Special Handling Techniques for Certain Types of Plant Samples

1. **LAWN OR TURF SPECIMENS:** Take the sample from the edge of the affected area. Provide both diseased and healthy plant material. Samples should be approximately 8 to 10 inches square by 3 inches deep. Package samples in a sealed plastic bag. Do not wrap sample in newspaper.

2. **FLESHY FRUITS AND VEGETABLES** (apples, peaches, grapes, tomatoes, cabbage, Brussels sprouts, broccoli, etc.): Wrap sample in several layers of dry newspaper. Do not place sample in a plastic bag. Do not include wet or damp towels or paper.

3. **WOODY TREES OR SHRUBS WITH CANKERS OR GALLS:** Cut three to five branches with cankers or galls. Make cuts several inches beyond the margin of the damage. Be sure to include some living wood.

4. **WOODY SHRUBS OR SMALL TREES WITH WILTED FOLIAGE, DIEBACK, AND/OR POOR GROWTH:** Include three to five branches (12 to 16 inches long) showing foliage symptoms, a root sample large enough to fill a quart- or half-gallon-size bag, including larger roots along with feeder roots, and 1 to 2

pints of soil. Package branches, roots, and soil in separate plastic bags. Also, include a soil sample from similar shrubs or trees that appear healthy.

5. **LARGE WOODY TREES WITH WILTED AND/OR DYING FOLIAGE AND BRANCHES:** Collect branch segments (12 to 16 inches long) that have wilted, dying, or scorched foliage. Be sure the branch segments have some living wood. Look for branches that show any dark brown, black, tan, or greenish streaks just under the bark (in the vascular tissue). Branch segments should be 0.5 inch or more in diameter. Place four to five branch segments in a plastic bag. Be sure to keep the samples cool. A sample of roots and soil may be needed. See number 4 above for details

6. **SMALL HERBACEOUS GARDEN PLANTS OR FIELD CROPS:** Collect 10 to 12 whole plants (4 to 12 inches tall) that show symptoms. For plants less than 4 inches tall, collect approximately 20 plants. For seedlings, collect at least 20 to 30

plants. Carefully dig up whole plants and place them in a plastic bag. In a separate plastic bag, send 1 to 2 pints of soil.

7. **MATURE HERBACEOUS GARDEN PLANTS OR FIELD CROPS:** Dig up two or more whole plants, including the root systems. If the plants are large, cut them into three or more sections so that they may be enclosed in a plastic bag. Also, send 1 to 2 pints of soil from the garden in a separate plastic bag.

8. **MUSHROOMS:** Collect several specimens, if possible. Include mushrooms at different stages of growth. Wrap each specimen gently in waxed paper or several layers of newspaper. Package mushrooms in a crush-proof box with a lightweight filler material such as styrofoam chips to prevent damage during transit.

For submission forms, contact your county Extension office or <http://www.aces.edu/dept/plantdiagnosticlab/> or <http://www.aces.edu/plantlabbbham/>.

SOIL SAMPLES FOR NEMATODE ANALYSIS

Plant parasitic nematodes cause considerable damage each year to garden and field crops. Fruits, lawns, and landscape shrubs also may have nematode problems, but the occurrence is not common. It is a good idea to check gardens and fields for nematodes every 3 years.

Collecting Soil Samples

The best time of the year to test the soil is during late summer and early fall. Collect 1 pint of soil from the root zone area of the plants. Repeat this procedure in 20 or more places in the sampling area which should not exceed 10 acres in size. Divide larger fields into separate 10-acre sampling areas. Thoroughly mix the soil in a bucket and take 1 pint of the mixed soil.

If stunted, yellowed, and stressed plants lead you to suspect a nematode problem, take a soil sample from the area around some plants which are growing poorly. Do not take the sample from soil around dead plants. Always take several soil samples from the root area of affected plants. If sampling soil from one shrub, take the samples from three to five places around the plant. Mix the soil together and remove 1 pint of the sample for testing. Take samples when the soil is moist, but do not use extremely wet or dry soil because analysis from

wet or dry soils may test deceptively low. Analyzing soil in winter is generally not recommended.

Packaging Soil Samples

After collecting the sample, immediately place 1 pint of the soil in a plastic bag and seal it. Do not expose it to extremely hot or cold temperatures, and do not allow it to become dry. Place the bag in a nematode soil carton, providing the information requested. Also, fill out Form ANR-F7, the nematode analysis questionnaire. Both are available from your Extension agent. Always indicate what crop will be grown. Control recommendations cannot be made without this information.

The service charge for nematode soil testing is \$10 for each sample. Make a check or money order payable to Plant Diagnostic Laboratory. Enclose (1) the sample box or boxes, (2) the information sheet(s), and (3) a check or money order to cover the service charge in a nematode mailing carton available at your county Extension office. Analysis results and recommendations will be mailed 7 to 14 days from the time the soil sample is received. If you have questions, check the website at <http://www.aces.edu/dept/plantdiagnosticlab/> or call 334-844-5506, 844-5507, or 844-5508.

INSECT SPECIMENS FOR IDENTIFICATION AND ANALYSIS

Charles Ray, Research Fellow, Entomology and Plant Pathology

Collecting for Identification

The identification of an insect is the first step in determining whether it should be controlled and what control measures should be used. Auburn University provides identification assistance when it is needed. A good insect specimen and supporting information are essential for pests to be correctly identified. County Extension offices furnish specific information on what is necessary for collecting, preserving, and shipping specimens and the supporting information that should be included.

Preserving and Packaging

Most insects should be preserved immediately after collection. Include several specimens, if possible. Most can be killed and preserved in glass or plastic vials in 70-percent isopropyl (rubbing) alcohol. Do not send insects in water. Containers must be leak proof. It is advisable to wrap the cap with electrical tape to prevent any leakage.

Spiders and soft-bodied insects such as caterpillars, grubs, and maggots should be placed into hot (nearly boiling temperature) water for a minute and allowed to cool slightly before being placed in alcohol. This ensures that some important microscopic features remain visible. Even dead specimens should be so treated.

Large, fragile insects such as butterflies and moths should be killed in a kill jar or freezer and stored in a crush-proof container without alcohol. Tissue paper gently placed around the specimens will keep them from becoming damaged in the mail.

Very fragile insects, such as mites, thrips, aphids, and scales, should be packaged and sent in the same manner as diseased plants. These insects are easily damaged by removing them from the plant; also, their appearance on the plant as well as damage symptoms may be important for identification.

If possible, send small caterpillars, grubs, and maggots alive in a plastic bag with some of the host material. It may be necessary to rear some of these to the adult stage for positive identification. Place the plastic bag in a container that will not be crushed in the mail.

Finally, if at all possible, ticks found on humans or pets should be sent in alive. Ticks can be kept alive for several days in a small, loosely capped container with a slightly moistened paper towel or a cotton swab moistened with one drop of water.

Include the following information for each sample:

1. Name of collector.
2. County and nearest town.
3. Date collected.
4. Where found, such as on a host plant, animal, or location in a building. If the host was a plant or animal, give its stage of growth. If the specimen was found on a person, provide the person's name and phone number.
5. Degree of infestation (heavy, medium, light) and type of damage.
6. Insecticide used for control and results, if known.
7. Service charges for insect identification:
 - Routine: \$5.
 - Commercial/Industrial: \$20.
 - Any routine sample requiring a slide mount for microscopy: \$10.

SAMPLE PLANTS FOR WEED IDENTIFICATION

John W. Everest, Professor Emeritus, and

Michael G. Patterson, *Extension Weed Scientist*, Agronomy and Soils

To identify weeds, a complete plant or a specimen containing leaves, stem, roots, and flowers or fruit is absolutely necessary. The success of each identification depends to a large degree on the condition of the plant material at the time of identification. Decomposed, dry, or incomplete plant specimens make identification difficult, if not impossible. Adequate specimens with flowers or fruit usually produce positive results. The following points will help in the identification process and in making control recommendations.

Collecting Weed Specimens

1. Collect and submit intact plants with roots, if possible. If the weed is small, collect several plants.
2. If the weed has flowers and/or fruit present, collect plants which have these parts.

3. If the weed is too large to submit, send samples of the roots, stem, leaves, flowers, and fruit. Please indicate the size of the plant.

4. In some plants, especially grasses, it is necessary to have the flowers or seedheads. Otherwise, only a general identification can be made.

Packaging and Mailing Specimens

1. Do not let the plants lie around for several days before packaging.
2. Place the plant(s) or plant parts in a plastic bag. A dry paper towel may be placed in the bag to prevent crushing the sample. Do not add water.
3. Pack sealed plastic bag in a shipping container which is sturdy and large enough to prevent crushing the specimen during transit.

4. Label the package **WEED ID** and mail to Extension Hall, 324 Mell Street, Room 109, Auburn University, Auburn, AL 36849-5633.

Additional Information

The following should be included with each specimen:

1. Location or crop where weed was collected. For example: roadside, forest area, cotton field, edge of pond, St. Augustine lawn, fescue pasture, etc.

2. Any other pertinent information that might influence the control recommendation, such as location and proximity of desirable plants in the area; whether the pond is used for swimming, fishing, or irrigation; size and degree of weed problem; etc.

SAMPLES FOR PESTICIDE RESIDUE ANALYSIS

L.C. "Fudd" Graham, Research Fellow, Entomology and Plant Pathology

The Alabama Department of Agriculture and Industries operates a state laboratory for special pesticide residue problems related to raw agricultural products and the environment. Samples that originate because of a second party or conflict between landowners or between pesticide applicator and/or landowner(s) should be official samples taken by an Alabama Department of Agriculture and Industries inspector. Call 334-240-7239 with specific details about why an analysis is needed. Arrangements will be made concerning the taking of an official sample.

Water Samples

Private water wells which are contaminated and possibly endangering human health can be handled by the Alabama Department of Environmental Management, Groundwater Section, in Montgomery, Alabama; telephone 334-270-5655. The director of this section should be contacted because an

inspector will be needed to obtain an official sample. **DO NOT** mail or transport samples to this laboratory.

When the owner of a private well suspects contamination by a commercial pest control company, he/she should contact Tony Cofer, 334-240-7237, for an official sample to be taken by a state agricultural inspector.

Private laboratories are also available for residue analysis. The cost varies depending on the product and tests needed. These labs are located in Alabama's larger cities.

Soil and Plant Samples

Pesticide residue analysis is difficult for several pesticides because of their chemical nature and the special equipment needed by the laboratory. An adequate sample is a must. For residue determination, contact Tony Cofer, 334-240-7237, for an official sample to be taken. All additional information will be collected by the state agricultural inspector.

2012 IPM-1294

For more information, contact your county Extension office. Visit <http://www.aces.edu/counties> or look in your telephone directory under your county's name to find contact information.

Use pesticides **only** according to the directions on the label. Follow all directions, precautions, and restrictions that are listed. Do not use pesticides on plants that are not listed on the label.

The pesticide rates in this publication are recommended **only** if they are registered with the Environmental Protection Agency or the Alabama Department of Agriculture and Industries. If a registration is changed or canceled, the rate listed here is no longer recommended. Before you apply **any** pesticide, check with your county Extension agent for the latest information.

Trade names are used **only** to give specific information. The Alabama Cooperative Extension System does not endorse or guarantee any product and does not recommend one product instead of another that might be similar.

Published by the Alabama Cooperative Extension System (Alabama A&M University and Auburn University), an equal opportunity educator and employer.

