

TIMELY INFORMATION

Agriculture & Natural Resources

HERBICIDE TRADE NAMES AND ACTIVE INGREDIENTS.
CONSULT HERBICIDE LABEL FOR SPECIFIC APPLICATION INSTRUCTIONS
AND RE-CROP INFORMATION

INTRRO (alachlor) 4 # /gal - Monsanto, preplant incorporated (ppi) or preemergence (pre) on soybean, grain sorghum. 2.5-3 qts/ac.

MICRO-TECH (alachlor) 4 #/gal – Monsanto, ppi, pre on corn, grain sorghum, soybean, peanut, cotton. 2.5-3 qts/ac.

BULLET (alachlor + atrazine) 2.5 + 1.5 # /gal - Monsanto, ppi or pre on field corn, grain sorghum. 4 qts/ac.

REFLEX (fomesafen) 2 # /gal - Syngenta, pre, on cotton; ppi, pre, post on soybean, 18 months to root crops. 1-1.5 pts/ac.

FLEXSTAR (fomesafen) 1.88 # /gal – Syngenta, ppi, pre, post on soybean, 18 months to root crop. 1-1.6 pts/ac.

DUAL MAGNUM (s-metolachlor) 7.62 3 /gal – Syngenta, ppi, pre, pds on corn; post on RR cotton; ppi, pre on soybean; ppi, pre, post on peanut. 1-1.3 pts/ac.

PREFIX (s-metolachlor + fomesafen) 4.34 + 0.95 # /gal – Syngenta, preplant foliar (ppf), ppi, pre on soybean. 2-3 pts/ac.

EXPERT (atrazine + s-metolachlor) 2.14 + 1.74 # /gal – Syngenta, pre, post on field corn, grain sorghum. 2.5-3.75 qts/ac.

LUMAX (s-metolachlor + atrazine + mesiotrione) 2.68 + 1.0 + 0.27 # /gal – Syngenta, pre, post on field corn. 2.5 qts/ac.

LEXAR (s-metolachlor + atrazine + mesiotrione) 1.74 + 1.74 + 0.22 # /gal – Syngenta, pre, post on field corn. 3 qts/ac.

GUARDSMAN (dimethenamid + atrazine) 1.7 + 3.3 # /gal- BASF, ppf, ppi, pre, post on field corn. 18 months to vegetables. 2.5-4 pts/ac.

SYNCHRONY XP (chlorimuron + thifensulfuron) 21.5% + 6.9% - Dupont, ppf, ppi, pre, on soybean. 18 months to vegetables. 0.4 oz/ac.

CANOPY EX (chlorimuron + tribenuron) 22.7% + 6.8% - Dupont , ppf with residual on soybean. 18 months to vegetables. 1.5 oz/ac.

CANOPY (metribuzin + chlorimuron) 64.3% + 10.7% - Dupont, ppf, ppi, pre on soybean, 12 months to clover (ph < 7.0). 6-8 oz/ac.

ENVIVE (chlorimuron + flumioxazin + thifensulfuron) 9.2% + 29.2% + 2.9% - Dupont, ppf with residual on soybean, 10 months to cotton. 2.5-3.5 oz/ac.

RESOLVE DF (rimsulfuron) 25% - Dupont, ppf, pre, post on field corn. 10 months to cotton, soybean, 18 months to peanut, vegetable. 1.0 oz/ac.

RESOLVE Q (rimsulfuron + thifensulfuron) 18.4% + 4% - Dupont, post on field corn. 10 months to cotton, soybean, 18 months to peanut. 1.25 oz/ac.

FIRSTSHOT SG (thifensulfuron + tribenuron) 25% + 25% - Dupont, ppf on cotton, corn, soybean, peanut. 0.8 oz/ac.

FIRSTRATE (cloransulam) 0.84 #/gal – Dow, ppf, ppi, pre, post on soybean. 9 months to corn, cotton, peanut. 0.75 oz/ac pre, 0.3 oz/ac.

VALOR XLT (flumioxazin + chlorimuron) 30% + 10.3% - Valent, pre on soybean. 18 months to cotton, 10 months to corn. 3-4 oz/ac.

IMPACT (topramezone) 2.8 #/gal – AMVAC, post on corn, 18 months to soybean. 0.75 fl. oz/ac.

LAUDIS (tembotrione) 3.5 #/gal – Bayer, post on corn, 8 months to soybean, 10 months to cotton, 18 months cucurbits and other crops. 3 oz/ac.

DEFINE (flufenacet) 60% - Bayer, pre or early post in corn and soybean, 12 months to small grains. 12-16 oz pre, 13-18 oz post on corn, 7-12 oz/ac on soybean.

CALLISTO (mesotrione) 4 #/gal – Syngenta, pre and post in corn, 10 months to soybean, cotton, peanut. 6-8 oz pre, 3 oz/post.

OPTION (foramsulfuron) 35% - Bayer, post in corn, 60 day to any crop. 1.5 oz/ac.

CLASSIC (chlorimuron) 25% - Dupont, post in soybean, peanut, 12 months to clover, 18 months to vegetable crops. 0.5-0.75 oz/ac.

BOUNDARY (metolachlor + metribuzin) 5.25 + 1.25 #/gal – Syngenta, ppf, ppi, pre on soybean.
1.2-2.1 pt/ac.

Notations: ppf = preplant foliar, ppi = preplant incorporated, pre = preemergence soil applied,
post = postemergence to crop and weeds, pds = postemergence directed spray.

Mike Patterson, Dept. of Agronomy and Soils, Auburn University, 2009