

INSECT PESTS AND INSECTICIDAL RECOMMENDATIONS

Reference: Vegetable crop handbook for the Southeastern U.S. developed by the Southeastern Vegetable Extension Workers

Click on the products listed to read the full label for that product. Producers should also see the handbook for application rates, restrictions, and preharvest intervals.

BROCCOLI, BRUSSELS SPROUT, CABBAGE, CAULIFLOWER	Aphid	Flea beetle	Armyworm	Diamondback moth	Cabbage looper	Imported cabbageworm	Corn earworm	Harlequin bug	Stink bug	Root maggot	Thrips	Webworm	Whitefly	Insects controlled
Acetamiprid (Assail)	X	X											X	3
Bifenthrin (Capture)					X	X	X							3
Bt (Dipel , Xentari)				X	X	X	X							4
Chlorpyrifos (Lorsban)	X	X								X				3
Diazinon (Diazinon)	X	X								X				3
Dimethoate (Dimethoate)	X	X									X			3
Dinotefuron (Venom)	X	X											X	3
Disulfoton (Di-Syston)	X	X												2
Emamectin benzoate (Proclaim)			X	X	X	X	X					X		6
Endosulfan (Thionex)								X	X					2
Esfenvalerate (Asana XL)					X	X	X							3
Fenpropathrin (Danitol)					X	X	X							3
Gamma-cyhalothrin (Proaxis)					X	X	X							3
Imidacloprid (Admire Pro , Provado)	X	X									X			3
Indoxacarb (Avaunt)			X	X	X	X	X							5
Lambda-cyhalothrin (Warrior)					X	X	X	X	X					5
Methomyl (Lannate)											X			1
Methoxyfenozide (Intrepid)			X		X	X	X							4
Novaluron (Rimon)			X	X	X	X	X				X			6
Permethrin (Ambush , Pounce)					X	X	X							3
Pymetrozine (Fulfill)	X	X												2
Spiromesifen (Oberon)													X	1
Spinosad (Spin Tor)			X	X	X	X	X							5
Zeta-cypermethrin (Mustang Max)					X	X	X							3