

Swine Production Records

Production record systems overwhelm many farmers. However, if pork producers want to increase profit, then complete, detailed records are essential. At least two figures must be determined each year: total production costs and income.

This publication contains sample production records for feed, the breeding herd, and growing/finishing pigs. While other records are required to effectively monitor production, these production records cover most profit opportunities for existing swine units.

Feed Records

There are two forms for monitoring feed. The **Feed Formula Record** provides a record of the ingredient composition of each diet you mix. This form is especially important if more than one person mixes feed.

The **Batch Record** helps determine the amount of each diet used. Every time you mix a batch of feed, record the diet, date, amount of feed per batch, and the number of batches mixed. Have the form initialed by the person mixing each batch. This form is useful for inventory control and for troubleshooting feed related problems.

Sow Records

The four sow record forms concentrate on breeding and lactation. Use the **Breeding Record** form to record hand-matings. Record the date, time of day, and boar for first, second, and third services. You can also record the results of 21-day heat checks and pregnancy checks at 35 to 42 days after breeding.

Days From Weaning To Breeding is a critical record to keep during breeding. Use this form to record sow numbers in the appropriate column. For example, if a sow is weaned on Thursday and is bred the following Tuesday, write her number in the 4 to 7 days column. When breeding is completed for a group of sows, most sows should be in the first column. Some may fall in the second column. If sows require 10 or more days to cycle after weaning, then a problem may exist.

Another important record is **Days From Breeding To Recycling**. When a sow is bred, she should conceive and farrow 114 days later. Unfortunately, some sows do not conceive and may recycle. By recording the exact days from breeding to recycling, you can determine the possible reasons for recycling and hopefully prevent recycling in the future.

The final sow record is the **Farrowing Records** form. This form allows you to keep important information on sows and their pigs. It includes a record of sow condition, number of pigs, birth and weaning weights, and vaccinations.

Growing/Finishing Records

Four forms make up the growing/finishing records. To make full use of all forms, keep pig records by group (farrowing groups or purchase groups).

The **Growing/Finishing Group History** is a complete record for each litter in a group. This form requires litter identi-

fication and will help if your operation is farrow-to-finish or farrow-to-feeder. If you buy feeder pigs, this form is of no use.

The **Growing/Finishing Group Inventory** is the most important growing/finishing record. It acts as a ledger for each group of pigs you feed. After recording the group number, record the date when this group was weaned and moved to grow/finish. Also record the total number of pigs in this group. Record the total number and combined weight of pigs at beginning (weaning or purchase). Then record the weight of every pig that dies and the weight and number sold light (feeder pigs or tail-enders). Record the number and weight of gilts kept for replacements. Finally, record the number and weight of market hogs sold.

The **Death Loss Record** is primarily for health purposes. By keeping a record of deaths and their causes, you can detect most health problems early.

The **Growing/Finishing Group Feed And Medication Record** helps you monitor feed and medicines used by each group. You can record the diet used, amount fed, medication product, and medication level for a pen, group, or barn.

Conclusion

These records are only examples and may not work for every pork producer. However, they can form the basis for a solid system of swine production records. For more information, see Extension Circular ANR-673, "Swine Herd Monitoring."

Growing/Finishing Group Inventory

Group Number: _____ Date Weaned: _____
Date To G/F: _____

	Number	Weight
Beginning		
Death Loss		
Nursery		
G/F		
Sold Early		
Feeder Pigs		
Tail-Enders		
Others		
Gilts Kept		
Market Hogs Sold		



ANR-844

This publication was prepared by W. F. Owsley, *Extension Animal Scientist*, Associate Professor, and James G. Floyd, Jr., *Extension Veterinarian*, Associate Professor, both in Animal and Dairy Science at Auburn University.

For more information, call your county Extension office. Look in your telephone directory under your county's name to find the number.

Issued in furtherance of Cooperative Extension work in agriculture and home economics, Acts of May 8 and June 30, 1914, and other related acts, in cooperation with the U.S. Department of Agriculture. The Alabama Cooperative Extension System (Alabama A&M University and Auburn University) offers educational programs, materials, and equal opportunity employment to all people without regard to race, color, national origin, religion, sex, age, veteran status, or disability.

UPS, 2M32, Rev. 8:96, ANR-844